

DEVELOPMENT OF A FRAMEWORK FOR MODEL-BASED ANALYSIS, UNCERTAINTY QUANTIFICATION, AND ROBUST CONTROL DESIGN OF NONLINEAR SMART COMPOSITE SYSTEMS

Ralph Smith	
North Carolina State University at Raleigh	

04/06/2015 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory

AF Office Of Scientific Research (AFOSR)/ RTA2

Arlington, Virginia 22203

Air Force Materiel Command

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NO	T RETURN YOU	JR FORM TO TH	HE ABOVE ORGANIZATI	ON.				
1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE				3. DATES COVERED (From - To)				
03-	29-2015	Final Report			07-01-2011 to 12-31-2014			
4. TITLE AND S	UBTITLE	•			5a. CON	İTRACT NUMBER		
Development of	a Framework fo	r Model-Based A	Analysis, Uncertainty Qua	ntification,				
and Robust Con	trol Design of N	onlinear Smart C	Composite Systems		FL ODA	ANTANIMOED		
					50. GRA	ANT NUMBER		
						FA9550-11-1-0152		
					5c. PRO	GRAM ELEMENT NUMBER		
C AUTHOR(C)					Ed DDC	NECT NUMBER		
6. AUTHOR(S)					5d. PROJECT NUMBER			
Ralph C Smith								
					5e. TAS	5e. TASK NUMBER		
					F(14/0F			
					5f. WOR	ORK UNIT NUMBER		
7. PERFORMIN	G ORGANIZATI	ON NAME(S) AN	ID ADDRESS(ES)			8. PERFORMING ORGANIZATION		
North Carolina S		(-,				REPORT NUMBER		
Department of M	-							
Raleigh, NC 276								
9. SPONSORIN	G/MONITORING	AGENCY NAM	E(S) AND ADDRESS(ES)	<u> </u>		10. SPONSOR/MONITOR'S ACRONYM(S)		
Air Force Office			_(0)/:::2/:2/:100(20)			(2,		
875 Randolph S		researen						
Suite 325 Room						11. SPONSOR/MONITOR'S REPORT		
Arlington, VA 22203					NUMBER(S)			
7 minigton, 7712	.2203							
12. DISTRIBUTION	ON/AVAII ABII I	TYSTATEMENT	•					
		_						
Distribution A Approved for Public Release								
42 CLIDDI EMENTADV NOTES								
13. SUPPLEMENTARY NOTES								
14. ABSTRACT								
	cused on the de	velonment of a si	vnergistic framework for	model-based an	alveien	nodel calibration, sensitivity analysis (SA),		
		-	_		-	or a range of nonlinear and hysteretic smart		
					_	vork in the context of hysteretic macro-fiber		
	-		-	-		and numerical framework and initial		
_								
	facilitate model	ing, design and d	control for aerospace, aero	maune, maustr	iai, autome	otive and biomedical systems utilizing smart		
materials.								
15. SUBJECT TERMS								
Hysteresis, transductive materials, uncertainty quantification, verification, validation, robust control design								
16. SECURITY O	CLASSIFICATIO	N OF:	17. LIMITATION OF		19a. NAN	IE OF RESPONSIBLE PERSON		
	b. ABSTRACT		ABSTRACT	OF	Ralph C			
U	ŢŢ	ŢŢ	SAR	PAGES	19b. TEL	EPHONE NUMBER (Include area code)		
U	U	U	SAIN			919-515-7552		

Reset

INSTRUCTIONS FOR COMPLETING SF 298

- **1. REPORT DATE.** Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-vx-1998.
- **2. REPORT TYPE.** State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.
- **3. DATES COVERED.** Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 Jun 1998; 1-10 Jun 1996; May Nov 1998; Nov 1998.
- **4. TITLE.** Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.
- **5a. CONTRACT NUMBER.** Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.
- **5b. GRANT NUMBER.** Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.
- **5c. PROGRAM ELEMENT NUMBER.** Enter all program element numbers as they appear in the report, e.g. 61101A.
- **5d. PROJECT NUMBER.** Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.
- **5e. TASK NUMBER.** Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.
- **5f. WORK UNIT NUMBER.** Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.
- **6. AUTHOR(S).** Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.
- 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER.

Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

- 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.
- **10. SPONSOR/MONITOR'S ACRONYM(S).** Enter, if available, e.g. BRL, ARDEC, NADC.
- 11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.
- **12. DISTRIBUTION/AVAILABILITY STATEMENT.** Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.
- **13. SUPPLEMENTARY NOTES.** Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.
- **14. ABSTRACT.** A brief (approximately 200 words) factual summary of the most significant information.
- **15. SUBJECT TERMS.** Key words or phrases identifying major concepts in the report.
- **16. SECURITY CLASSIFICATION.** Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.
- 17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

Development of a Framework for Model-Based Analysis, Uncertainty Quantification, and Robust Control Design of Nonlinear Smart Composite Systems

AFOSR FA9550-11-1-0152

Final Report

 $\begin{array}{c} \text{for the period} \\ \text{July 1, 2011 - December 31, 2014} \end{array}$

Program Manager:

Fariba Fahroo

AFOSR/RSL 875 North Randolph Street Suite 325, Room 3112 Arlington, VA 22203 fariba.fahroo@afosr.af.mil 703-696-8429

Principal Investigator:

Ralph C. Smith

Department of Mathematics North Carolina State University Raleigh, NC 27695-8205 rsmith@ncsu.edu 919-515-7552

Objectives

This program focused on the development of a synergistic framework for model-based analysis — model calibration, sensitivity analysis (SA), uncertainty quantification (UQ), validation and verification (V&V), and robust control design — for a range of nonlinear and hysteretic smart composite systems. A major component of the program focused on the development of this framework in the context of hysteretic macro-fiber composite (MFC) and shape memory alloy (SMA) models. The goal was to develop a theoretical and numerical framework and initial infrastructure to facilitate modeling, design and control for aerospace, aeronautic, industrial, automotive and biomedical systems utilizing smart materials.

Accomplishments

We focused on the development and implementation of a modeling, model calibration, sensitivity analysis (SA), and uncertainty quantification (UQ) framework for structures employing macro-fiber composites (MFC) and shape memory alloys (SMA). As illustrated in Figure 1, MFC are comprised of lead zirconate titanate (PZT) fibers embedded in an epoxy matrix and driven by an interdigitated electrode array. The resulting array achieves d_{33} motion which optimizes outputs and is sufficiently flexible to bond to curved surfaces. The composite structures have dual actuator and sensor capabilities and can achieve kHz drive ranges. As detailed in [10, 13, 19] and depicted in Figure 2, MFC-composite structures are presently being investigated for shape modification and flow control, vibration and noise control, health monitoring, and energy harvesting. However, these advantages come at the cost of rate-dependent hysteresis, creep and constitutive nonlinearities that must be addressed in models, designs and control algorithms.

It is noted in [6] that shape memory alloys (SMA) have the highest work density of traditional "smart materials" but typically operate at frequencies ranging from 1-100 Hz due to the thermal convection required relax the actuators. They are being investigated for use as chevrons to improve jet engine performance and decrease aeroacoustic noise, MAV design, and numerous biomedical applications due to the fact that they are biocompatible. However, like PZT-based actuators, they exhibit rate-dependent hysteresis and constitutive nonlinearities at essentially all drive levels.




Figure 1: (a) Macro-fiber composite schematic and (b) d_{33} actuation produced by voltage applied to the patches.




Figure 2: (a) MFC for shape modification and flow control, and (b) experimental configuration used for energy harvesting.

Uncertainty Quantification

Uncertainty quantification is pursued in two steps: (i) determination of densities and uncertainty bounds for inputs consisting of model parameters, boundary or initial conditions, and (ii) development of highly efficient methods to propagate these input uncertainties through models to quantify response uncertainties and errors bounds. The goal is to develop the capability to provide model predictions with quantified uncertainties.

We employed a Bayesian approach to construct parameter uncertainties based on measured data since the consideration of parameters as random variables with associated densities is a fundamental tenet of Bayesian inference. Due to the moderate dimensionality of the parameter space in the MFC and SMA models (e.g., 18 parameters and 36 states), evaluation of posterior distributions using standard cubature formulae was not feasible. Instead, we employed a delayed rejection adaptive Metropolis (DRAM) algorithm whose stationary distribution is the posterior density.

The chain and density for a representative SMA parameter are plotted in Figure 3 along with joint sample points for two parameters. We first note that the density is non-Gaussian so asymptotic methods limiting to Gaussian distributions will be ineffective. Moreover, the parameters are highly correlated which significantly limits available options for uncertainty propagation.

Stochastic Galerkin, collocation and discrete projection methods all rely on the assumption that parameters are mutually independent or that one has a representation for the joint density for all parameters. These assumptions are violated for this model as well as many physical models arising in general applications. To propagate uncertainties and construct prediction intervals, we thus sample by index from the DRAM chains used to construct input densities. This yielded the prediction intervals shown in Figure 4. The application of Bayesian model calibration and uncertainty quantification techniques to MFC are reported in [9,10] whereas SMA results are reported in [1,3,4].




Figure 3: (a) Chain and (b) density for a representative SMA parameter. (c) Joint sample points demonstrating correlation between parameters.




Figure 4: (a) Calibrated model fit to SMA data and (b) data with 95 % prediction intervals.

Robust Control Design

The goal in this component of the program was to use model uncertainties, quantified using the previously discussed Bayesian and sampling techniques, to construct robust control designs having improved performance. We initially investigated this in the context of the sliding mode control (SMC) design depicted in Figure 5 and detailed in [1,5,15,16]. The actuators were SMA tendons with strains $\varepsilon(t)$ generated by input temperatures T(t). This was modeled using the homogenized energy model (HEM) framework in [6] with the model inverse discussed in [14]. The objective was to track a reference angle trajectory $\theta_r(t)$ by heating or cooling the actuator.

Since temperatures are not directly measured, we employed the observer

$$\dot{T}_{0}(t) = -h[T_{0}(t) - T_{\infty}] + \gamma u(t) + Hx(t) + L[\theta(t) - \theta_{0}(t)]
= \bar{f}(t, \bar{h}, \bar{H}) + \Delta f(t, \Delta h, \Delta H) + (\bar{\gamma} + \Delta \gamma)u(t) + L[\theta(t) - \theta_{0}(t)]$$

where $h = \bar{h} + \Delta h, H = \bar{H} + \Delta H$ and $\gamma = \bar{\gamma} + \Delta \gamma$ are model parameters with means $\bar{h}, \bar{H}, \bar{\gamma}$ and 2σ uncertainties $\Delta h, \Delta H, \Delta \gamma$ as illustrated in Figure 3(b). Furthermore, x(t) are summed phase fractions from the model, L is the observer gain, and u is the control input which ultimately consists of the voltage applied to the actuator. The terms

$$\bar{f}(t, \bar{h}, \bar{H}) = -\bar{h}[T_0(t) - T_\infty] + \bar{H}x(t)$$
$$\Delta f(t, \Delta h, \Delta H) = -\Delta h[T_0(t) - T_\infty] + \Delta Hx(t)$$




Figure 5: (a) Block diagram for the sliding mode control design.

isolate the mean and uncertain components of the observer. For the sliding surface

$$s(t) = \lambda \int [T_0(\tau) - T_r(\tau)]d\tau + [T_0(t) - T_r(t)],$$

use of the Lyapunov candidate

$$V(t) = \frac{1}{2}s^2(t)$$

yielded the control $u(t) = u_{eq}(t) + v(t)$ where

$$u_{eq}(t) = \frac{1}{\bar{\gamma}} \left[-\lambda [T_0(t) - T_r(t)] + \dot{T}_r(t) - \bar{f}(t, \bar{h}, \bar{H}) - L[\theta(t) - \theta_0(t)] \right]$$
$$v(t) = -\frac{1}{\gamma} \left[\Delta f(t, \Delta h, \Delta H) + \Delta \gamma u_{eq}(t) + \rho_0 \tanh(s) \right].$$

The experimental performance of this sliding mode control design is compared with proportional-integral (PI) control in Figure 6. The errors in the square wave tracking performance illustrate an inherent physical limitation of SMA actuators for high frequency applications since convective cooling is a relatively slow process. As detailed in [1], the sliding mode design generally provides superior performance without the necessity of experimentally tuning gains. This provides an illustration of how uncertainty quantification can improve robust control design. We are presently extending these techniques to alternative robust control designs and other SMA and PZT-based actuators.




Figure 6: Tracking performance of the sliding mode control (SMC) and PI control for a (a) 0.1 Hz sine wave, (b) 0.2 Hz sine wave and (c) 0.1 Hz square wave.

Quantification of Model Discrepancy

The previously discussed model calibration and prediction interval results were obtained using statistical models of the form

$$\Upsilon_i = f(t_i, q) + \varepsilon_i$$

where $f(t_i, q)$ denotes the parameter-dependent model response and measurement errors ε_i are assumed to be independent and identically distributed (iid) and normal distributed with $\varepsilon_i \sim N(0, \sigma^2)$. However, this assumption is often violated in dynamic applications. To illustrate, we model the thin beam displacement data shown in Figure 7 using the Euler-Bernoulli beam model

$$\int_{0}^{L} \left[\rho(x) \frac{\partial^{2} w}{\partial t^{2}} + \gamma \frac{\partial w}{\partial t} \right] \phi dx + \int_{0}^{L} \left[YI(x) \frac{\partial^{2} w}{\partial x^{2}} + cI(x) \frac{\partial^{3} w}{\partial x^{2} \partial t} \right] \phi'' dx$$

$$= k_{p} V(t) \int_{x_{1}}^{x_{2}} \phi'' dx$$

which holds for all test functions $\phi \in V = \{\phi \in H^2(0,L) \mid \phi(0) = \phi'(0) = 0\}$. The density, stiffness and damping relations

$$\rho(x) = \rho hb + \rho_p h_p b_p \chi_p(x) , YI(x) = YI + Y_p I_p \chi_p(x)$$
$$cI(x) = cI + c_p I_p \chi_p(x)$$

reflect the differing geometry and material properties in the region covered by the patch. The reported density 2700 kg/m³ for aluminum yielded $\tilde{\rho}_b = \rho hb = 0.08775$ which is fixed to ensure that the remaining parameters are identifiable. The parameter set is

$$q = [\tilde{\rho}_b, \gamma, YI_b, YI_p, cI_b, cI_p, k_p]$$

where $\tilde{\rho}_p = \rho_p h_p b_p$, $YI_p = Y_p I_p$, $YI_b = YI$, $CI_p = C_p I_p$ and $CI_b = C_b I_b$. The model response is the displacement $y(t_i, q) = w(t_i, \bar{x}; q)$ evaluated at the point $\bar{x} = 128$ mm. Details regarding the experimental setup are provided in [18].

Calibration over the time interval [0, 1.0] yielded the fit, residuals, and 95% prediction intervals shown in Figure 7. It is observed that the residuals, and hence measurement errors, are clearly correlated, and that the 95% prediction interval does not contain the correct percentage of experimental measurements. This is due to unaccommodated model errors, or discrepancies, $\delta(t_i)$ in the statistical model

$$\Upsilon_i = f(t_i, q) + \delta(t_i) + \varepsilon_i.$$

Damping and frequency analysis established that calibration on the interval [0.25, 1.25] can reduce the model discrepancy as indicated by the residuals plotted in Figure 8(a). In this case, the 95%




Figure 7: (a) Model fit and (b) residuals for calibration on the temporal interval [0, 1.0]. 95% prediction intervals and experimental data in (c) the calibration regime and (d) extrapolatory prediction interval [2.0, 2.5] seconds.




Figure 8: (a) Residuals for calibration on the temporal interval [0.25, 1.25]. 95% prediction intervals and experimental data in (c) the calibration regime and (d) extrapolatory prediction interval [2.0, 2.5] seconds.

prediction interval shown in Figure 8(c) contains the correct percentage of future data points, thus extending the validation regime for the model. The development of statistical techniques, such as periodic Gaussian process representations, to quantify model discrepancies for extrapolatory prediction constitutes a future research direction. Details regarding issues pertaining to the quantification of model discrepancy can be found in [18].

Personnel Supported

Nathan Burch Postdoc, NCSU, Raleigh, NC

Kayla Coleman Graduate Student, NCSU, Raleigh, NC

John Crews Postdoc, NCSU, Raleigh, NC

Jerry McMahan Graduate Student and Postdoc, NCSU, Raleigh, NC

Kathleen Schmidt Graduate Student, NCSU, Raleigh, NC

Ralph Smith Professor, NCSU, Raleigh, NC

Lucus Van Blaircum Graduate Student, NCSU, Raleigh, NC

Book

R.C. Smith, *Uncertainty Quantification: Theory, Implementation and Applications*, SIAM, Philadelphia, 2014.

Publications

- [1] J.H. Crews, J.A. McMahan, R.C. Smith and J.C. Hannen, "Quantification of parameter uncertainty for robust control of shape memory alloy bending actuators," *Smart Materials and Structures*, Featured Article, 22, 115021, 2013.
- [2] J.H. Crews and R.C. Smith, "Density function optimization in the homogenized energy model of shape memory alloys," Proceedings of the ASME 2011 Conference on Smart materials, Adaptive Structures, and Intelligent Systems."
- [3] J.H. Crews and R.C. Smith, "Modeling and Bayesian parameter estimation for shape memory alloy bending actuators," Proceedings of the SPIE, Smart Structures and Materials, 2012.
- [4] J.H. Crews and R.C. Smith, "Quantification of parameter and model uncertainty for shape memory alloy bending actuators," *Journal of Intelligent material Systems and Structures*, 25(2), pp. 229-245, 2014.
- [5] J.H. Crews, R.C. Smith and J. Hannen, "Development of robust control algorithms for shape memory alloy bending actuators," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.
- [6] J.H. Crews, R.C. Smith, K.M. Pender, J.C. Hannen and G.D. Buckner, "Data-driven techniques to estimate parameters in the homogenized energy model for shape memory alloys," *Journal* of *Intelligent Material Systems and Structures*, 23(17), pp. 1897-1920, 2012.
- [7] Z. Hu and R.S. Smith, "A strain model for piezoelectric materials operating in highly hysteretic regimes," Proceedings of the ASME 2011 Conference on Smart materials, Adaptive Structures, and Intelligent Systems."
- [8] Z. Hu and R.C. Smith, "Bayesian Techniques to Quantify Parameter and Model Uncertainty for a Macro-Fiber Composite Model," IFAC Workshop on Control of Systems Governed through Partial Differential Equations (CPDE), Paris, France, 2013.
- [9] Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, "Homogenized energy model and Markov chain Monte Carlo simulations for macro-fiber composites operating in broadband regimes," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.
- [10] Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, "A modeling and uncertainty quantifiation framework for a flexible structure with macro-fiber composite (MFC) actuators operating in hysteretic regimes," *Journal of Intelligent material Systems and Structures*, 25(2), pp. 204– 228, 2014.
- [11] Z. Hu, R.C. Smith and J.M. Ernstberger, "Data-Driven Techniques to Estimate Parameters in a Rate-Dependent Ferromagnetic Hysteresis Model," *Physica B: Physics of Condensed Matter*, 407, pp. 1394–1398, 2012, online version: http://dx.doi.org/10.1016/j.physb.2011.06.084.
- [12] Z. Hu, R.C. Smith and J. Ernstberger, "The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: Implementation algorithms and data-driven parameter estimation techniques," *Journal of Intelligent material Systems and Structures*, 23(16), pp. 1869–1894, 2012.

- [13] Z. Hu, R.C. Smith, M. Hays and W.S. Oates, "Statistical parameter estimation and uncertainty quantification for macro fiber composite actuators operating in nonlinear and hysteretic regimes," 50th IEEE Conference on Decision and Control and European Control Conference, Orlando, FL, December 12-15, 2011.
- [14] J.A. McMahan, J.H. Crews and R.C. Smith, "Inversion algorithms for the homogenized energy model for hysteresis in ferroelectric and shape memory alloy compounds," *Journal of Intelligent material Systems and Structures*, 24(15), p1796–1821, 2013.
- [15] J.A. McMahan and R.C. Smith, "Sliding model control design for hysteretic ferroelectric materials," Proceedings of the SPIE, Smart Structures and Materials 2012.
- [16] J.A. McMahan and R.S. Smith, "Sliding mode control based on an inverse compensator design for hysteretic smart systems," 51st IEEE Conference on Decision and Control, Maui, HI, 2012.
- [17] J.A. McMahan and R.C. Smith, "Data-Driven Design of Sliding Mode Controllers for Ferroelectric Actuators," Proceedings of the IFAC World Congress, Cape Town, South Africa.
- [18] R.C. Smith, Uncertainty Quantification: Theory, Implementation and Applications, SIAM, Philadelphia, 2014.
- [19] R.C. Smith and Z. Hu, "The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: material properties and uniaxial model development," Journal of Intelligent material Systems and Structures, 23(16), pp. 1833–1867, 2012.

AFRL Points of Contact

Lawrence "Robbie" Robertson, AFRL/VSSV, Kirtland AFB, 505-846-7687, Johnny Evers, AFRL, Eglin AFB, 850-883-1887.

Transitions/Interactions

Transitions: Bayesian Analysis for Parameter and Model Uncertainty – DOE CASL: Aspects of the Bayesian analysis and sampling-based techniques to construct prediction intervals were transitioned to the DOE Consortium for Advanced Simulation of Light Water Reactors (CASL) Energy Innovation Hub. This built upon work initiated in the AFOSR Program and provided techniques employed in the last two years of the CASL program.

Conference, Colloquia and Workshop Presentations

- Invited Presentation: 7th Workshop on Control of Distributed Parameter Systems (CDPS 2011), Wuppertal, Germany, July 20, 2011.
- Invited Presentation: SIAM Conference on Control and Its Applications, Baltimore MD, July 25, 2011.
- Seminar: Center for Control, Dynamical Systems, and Computation, University of California, Santa Barbara, Santa Barbara, CA, October 21, 2011.
- Seminar: Mechanical Engineering Department, University of California, Santa Barbara, Santa Barbara, CA, October 24, 2011.

- Invited Presentation: Second Monterey Workshop on Computational Issues in Nonlinear Control, Monterey, CA, November 8, 2011.
- Invited Presentation: SIAM Conference on Analysis of Partial Differential Equations, San Diego, CA, November 16, 2011.
- Invited Presentation: 50th IEEE Conference on Decision and Control, Orlando, FL, December 13, 2011.
- Presentation: SPIE's 19th Symposium on Smart Structures and Materials, San Diego, CA, March 12-15, 2012 (Crews, McMahan, Smith).
- Invited Presentation: SIAM Conference on Uncertainty Quantification, April 5, 2012.
- Invited Presentation: Florida Center for Advanced Aero-Propulsion Symposium, Tallahassee, FL, April 27, 2012.
- Invited Presentation: International Workshop on Acoustic Transduction Materials and Devices, Penn State University, State College, PA, May 18, 2012.
- Colloquium: National Renewable Energy Laboratory, Golden, CO. June, 22, 2012.
- Invited Presentation: 8th International Conference on Differential Equations and Dynamical Systems, Waterloo, Ontario, August 1, 2012.
- Invited Presentations: ASME Conference on Smart Materials, Adaptive Structures and Intelligent Systems (SMASIS), Stone Mountain, GA, September 19-21, 2012 (Crews, McMahan, Smith).
- Colloquium, Department of Mathematical Sciences, University of Montana, Missoula, MT, October 1, 2012.
- Invited Presentation, IEEE Conference on Decision and Control, Maui, HI, December 10, 2012.
- Presentation: SPIE's 20th Symposium on Smart Structures and Materials, San Diego, CA, March 11, 2013.
- Invited Presentation: SIAM Conference on Control and Its Applications, July 9, 2013.
- Invited Presentations: ASME 2014 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, Snowbird, UT, September 18. 2013.
- Invited Presentation: 1st IFAC Workshop on Control of Systems Governed by Partial Differential Equations, CPDE 2013, Paris, France, September 25, 2013.
- Colloquium: Department of Mathematics and Statistics, Missouri University of Science and Technology, Rolla, MO, November 15, 2013.
- Invited Presentation: SIAM Conference on Analysis of Partial Differential Equations," Orlando, FL, December 9, 2013.
- Invited Presentation: IMA Hot Topics Workshop on Uncertainty Quantification in Materials, Minneapolis, MN, December 16, 2013.
- Colloquium: Mechanical Engineering Seminar, UCSB, February 3, 2014.

- CRSI Seminar, Sandia National Laboratories, February 6, 2014.
- Colloquium: Department of Mathematics, VA Tech, February 21, 2014.
- Presentation: SPIE's 21st Symposium on Smart Structures and Materials, San Diego, CA, March 11, 2014.
- Invited Presentations: SIAM Conference on Uncertainty Quantification, Savannah, GA, April 2, 2014.
- Invited Presentation: 7th International Conference "Inverse Problems: Modeling and Simulation", Öludeniz–Fethiye, Turkey, May 27, 2014.
- Invited Presentation: Second Conference of the International Society of Nonparametric Statistics, Cádid, Spain, June 13, 2014.
- Colloquium: Department of Mathematics, University of Alabama at Birmingham, October 24, 2014.
- Colloquium: Department of Mechanical & Aeronautical Engineering, Clarkson University, November 7, 2014.

Honors and Awards

None

Patents

None

Acknowledgement/Disclaimer

This work was sponsored (in part) by the Air Force Office of Scientific Research, USAF, under the grant/contract number FA9550-11-1-0152. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the Air Force Office of Scientific Research or the U.S. Government.

References

- [1] J.H. Crews, J.A. McMahan, R.C. Smith and J.C. Hannen, "Quantification of parameter uncertainty for robust control of shape memory alloy bending actuators," *Smart Materials and Structures*, Featured Article, 22, 115021, 2013.
- [2] J.H. Crews and R.C. Smith, "Density function optimization in the homogenized energy model of shape memory alloys," Proceedings of the ASME 2011 Conference on Smart materials, Adaptive Structures, and Intelligent Systems."
- [3] J.H. Crews and R.C. Smith, "Modeling and Bayesian parameter estimation for shape memory alloy bending actuators," Proceedings of the SPIE, Smart Structures and Materials, 2012.
- [4] J.H. Crews and R.C. Smith, "Quantification of parameter and model uncertainty for shape memory alloy bending actuators," *Journal of Intelligent material Systems and Structures*, 25(2), pp. 229-245, 2014.
- [5] J.H. Crews, R.C. Smith and J. Hannen, "Development of robust control algorithms for shape memory alloy bending actuators," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.
- [6] J.H. Crews, R.C. Smith, K.M. Pender, J.C. Hannen and G.D. Buckner, "Data-driven techniques to estimate parameters in the homogenized energy model for shape memory alloys," *Journal of Intelligent Material Systems and Structures*, 23(17), pp. 1897-1920, 2012.
- [7] Z. Hu and R.S. Smith, "A strain model for piezoelectric materials operating in highly hysteretic regimes," Proceedings of the ASME 2011 Conference on Smart materials, Adaptive Structures, and Intelligent Systems."
- [8] Z. Hu and R.C. Smith, "Bayesian Techniques to Quantify Parameter and Model Uncertainty for a Macro-Fiber Composite Model," IFAC Workshop on Control of Systems Governed through Partial Differential Equations (CPDE), Paris, France, 2013.
- [9] Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, "Homogenized energy model and Markov chain Monte Carlo simulations for macro-fiber composites operating in broadband regimes," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.
- [10] Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, "A modeling and uncertainty quantifiation framework for a flexible structure with macro-fiber composite (MFC) actuators operating in hysteretic regimes," *Journal of Intelligent material Systems and Structures*, 25(2), pp. 204–228, 2014.
- [11] Z. Hu, R.C. Smith and J.M. Ernstberger, "Data-Driven Techniques to Estimate Parameters in a Rate-Dependent Ferromagnetic Hysteresis Model," *Physica B: Physics of Condensed Matter*, 407, pp. 1394–1398, 2012, online version: http://dx.doi.org/10.1016/j.physb.2011.06.084.
- [12] Z. Hu, R.C. Smith and J. Ernstberger, "The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: Implementation algorithms and data-driven parameter estimation techniques," *Journal of Intelligent material Systems and Structures*, 23(16), pp. 1869–1894, 2012.

- [13] Z. Hu, R.C. Smith, M. Hays and W.S. Oates, "Statistical parameter estimation and uncertainty quantification for macro fiber composite actuators operating in nonlinear and hysteretic regimes," 50th IEEE Conference on Decision and Control and European Control Conference, Orlando, FL, December 12-15, 2011.
- [14] J.A. McMahan, J.H. Crews and R.C. Smith, "Inversion algorithms for the homogenized energy model for hysteresis in ferroelectric and shape memory alloy compounds," *Journal of Intelligent material Systems and Structures*, 24(15), p1796–1821, 2013.
- [15] J.A. McMahan and R.C. Smith, "Sliding model control design for hysteretic ferroelectric materials," Proceedings of the SPIE, Smart Structures and Materials 2012.
- [16] J.A. McMahan and R.S. Smith, "Sliding mode control based on an inverse compensator design for hysteretic smart systems," 51st IEEE Conference on Decision and Control, Maui, HI, 2012.
- [17] J.A. McMahan and R.C. Smith, "Data-Driven Design of Sliding Mode Controllers for Ferroelectric Actuators," Proceedings of the IFAC World Congress, Cape Town, South Africa.
- [18] R.C. Smith, Uncertainty Quantification: Theory, Implementation and Applications, SIAM, Philadelphia, 2014.
- [19] R.C. Smith and Z. Hu, "The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: material properties and uniaxial model development," *Journal of Intelligent material Systems and Structures*, 23(16), pp. 1833–1867, 2012.

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

rsmith@ncsu.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

919-515-7552

Organization / Institution name

North Carolina State University

Grant/Contract Title

The full title of the funded effort.

Development of a Framework for Model-Based Analysis, Uncertainty Quantification, and Robust Control Design of Nonlinear Smart Composite Systems

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-11-1-0152

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Ralph C. Smith

Program Manager

The AFOSR Program Manager currently assigned to the award

Fariba Fahroo

Reporting Period Start Date

07/01/2011

Reporting Period End Date

12/31/2014

Abstract

This program focused on the development of a synergistic framework for model-based analysis --- model calibration, sensitivity analysis (SA), uncertainty quantification (UQ), validation and verification (V&V), and robust control design --- for a range of nonlinear and hysteretic smart composite systems. A major component of the program focused on the development of this framework in the context of hysteretic macro-fiber composite (MFC) and shape memory alloy (SMA) models. The goal was to develop a theoretical and numerical framework and initial infrastructure to facilitate modeling, design and control for aerospace, aeronautic, industrial, automotive and biomedical systems utilizing smart materials.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 Form

Please attach your SF298 form. A blank SF298 can be found here. Please do not password protect or secure the PDF The maximum file size for an SF298 is 50MB.

AFD-070820-035.pdf

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF. The maximum file size for the Report Document is 50MB.

final report.pdf

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB. Archival Publications (published) during reporting period:

- J.H. Crews, J.A. McMahan, R.C. Smith and J.C. Hannen, ``Quantification of parameter uncertainty for robust control of shape memory alloy bending actuators," Smart Materials and Structures, Featured Article, 22, 115021, 2013.
- J.H. Crews and R.C. Smith, ``Density function optimization in the homogenized energy model of shape memory alloys," Proceedings of the ASME 2011 Conference on Smart Materials, Adaptive Structures, and Intelligent Systems."
- J.H. Crews and R.C. Smith, ``Modeling and Bayesian parameter estimation for shape memory alloy bending actuators," Proceedings of the SPIE, Smart Structures and Materials, 2012.
- J.H. Crews and R.C. Smith, ``Quantification of parameter and model uncertainty for shape memory alloy bending actuators," Journal of Intelligent material Systems and Structures, 25(2), pp. 229-245, 2014.
- J.H. Crews, R.C. Smith and J. Hannen, ``Development of robust control algorithms for shape memory alloy bending actuators," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.
- J.H. Crews, R.C. Smith, K.M. Pender, J.C. Hannen and G.D. Buckner, ``Data-driven techniques to estimate parameters in the homogenized energy model for shape memory alloys," Journal of Intelligent Material Systems and Structures, 23(17), pp. 1897-1920, 2012.
- Z. Hu and R.S. Smith, ``A strain model for piezoelectric materials operating in highly hysteretic regimes," Proceedings of the ASME 2011 Conference on Smart Materials, Adaptive Structures, and Intelligent Systems."
- Z. Hu and R.C. Smith, ``Bayesian Techniques to Quantify Parameter and Model Uncertainty for a Macro-Fiber Composite Model," IFAC Workshop on Control of Systems Governed through Partial Differential Equations (CPDE), Paris, France, 2013.
- Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, ``Homogenized energy model and Markov chain Monte Carlo simulations for macro-fiber composites operating in broadband regimes," Proceedings of the ASME 2012 Conference on Smart Materials, Adaptive Structures and Intelligent Systems, SMASIS 2012, Stone Mountain, GA, September 19-21, 2012.

Z. Hu, R.C. Smith, N. Burch, M. Hays and W.S. Oates, ``A modeling and uncertainty quantification framework for a flexible structure with macro-fiber composite (MFC) actuators operating in hysteretic regimes," Journal of Intelligent material Systems and Structures, 25(2), pp. 204--228, 2014.

Z. Hu, R.C. Smith and J.M. Ernstberger, ``Data-Driven Techniques to Estimate Parameters in a Rate-Dependent Ferromagnetic Hysteresis Model," Physica B: Physics of Condensed Matter, 407, pp. 1394--1398, 2012, online version: http://dx.doi.org/10.1016/j.physb.2011.06.084.

Z. Hu, R.C. Smith and J. Ernstberger, ``The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: Implementation algorithms and data-driven parameter estimation techniques," Journal of Intelligent material Systems and Structures, 23(16), pp. 1869--1894, 2012.

Z. Hu, R.C. Smith, M. Hays and W.S. Oates, ``Statistical parameter estimation and uncertainty quantification for macro fiber composite actuators operating in nonlinear and hysteretic regimes," 50th IEEE Conference on Decision and Control and European Control Conference, Orlando, FL, December 12-15, 2011.

J.A. McMahan, J.H. Crews and R.C. Smith, `Inversion algorithms for the homogenized energy model for hysteresis in ferroelectric and shape memory alloy compounds," Journal of Intelligent material Systems and Structures, 24(15), pp. 1796--1821, 2013.

J.A. McMahan and R.C. Smith, ``Sliding model control design for hysteretic ferroelectric materials," Proceedings of the SPIE, Smart Structures and Materials 2012.

J.A. McMahan and R.S. Smith, ``Sliding mode control based on an inverse compensator design for hysteretic smart systems," 51st IEEE Conference on Decision and Control, Maui, HI, 2012.

J.A. McMahan and R.C. Smith, ``Data-Driven Design of Sliding Mode Controllers for Ferroelectric Actuators," Proceedings of the IFAC World Congress, Cape Town, South Africa.

R.C. Smith, Uncertainty Quantification: Theory, Implementation and Applications, SIAM, Philadelphia, 2014.

R.C. Smith and Z. Hu, ``The homogenized energy model (HEM) for characterizing polarization and strains in hysteretic ferroelectric materials: material properties and uniaxial model development," Journal of Intelligent material Systems and Structures, 23(16), pp. 1833--1867, 2012.

Changes in research objectives (if any):

None

Change in AFOSR Program Manager, if any:

None

Extensions granted or milestones slipped, if any:

No-Cost extension granted through 12/31/14.

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

Mar 29, 2015 14:07:14 Success: Email Sent to: rsmith@ncsu.edu